## **PCT**

(21) International Application Number:

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



WO 00/28990

25 May 2000 (25.05.00)

#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: (11) International Publication Number: A61K 31/353, 31/4439, 9/32, 9/52 A1 (43) International Publication Date:

PCT/EP99/09031

SmithKline Beecham Pharmaceuticals, 709 Swedeland

(22) International Filing Date: 12 November 1999 (12.11.99)

(30) Priority Data: 12 November 1998 (12.11.98) GB 9824870.1 25 May 1999 (25.05.99) 9912189.9 GB

(71) Applicants (for all designated States except US): SMITHK-LINE BEECHAM P.L.C. [GB/GB]; New Horizons Court, Brentford, Middlesex TW8 9EP (GB). SMITHKLINE BEECHAM CORPORATION [US/US]; One Pranklin

Plaza, Philadelphia, PA 19103 (US).

(72) Inventors; and (75) Inventors/Applicants (for US only): GLINECKE, Robert [US/US]; SmithKline Beecham Pharmaceuticals, 709 Swedeland Road, King of Prussia, PA 19406 (US). MILOSOVICH, Susan, Marie [US/US]; SmithKline Beecham Pharmaceuticals, 1250 South Collegeville Road, Collegeville, PA 19426-0989 (US). MULDOON, William [US/US]; SmithKline Beecham Pharmaceuticals, 709 Swedeland Road, King of Prussia, PA 19406 (US). RE, Vincenzo [GB/GB]; SmithKline Beecham Pharmaceuticals, New Frontiers Science Park South, Third Avenue, Harlow, Essex CM19 5AW (GB). SAUER, Joseph [US/US];

Road, King of Prussia, PA 19406 (US). SKINNER, Janet, Louise [GB/GB]; SmithKline Beecham Pharmaceuticals, New Frontiers Science Park South, Third Avenue, Harlow, Essex CM19 5AW (GB).

(74) Agent: RUTTER, Keith; SmithKline Beecham Corporate Intellectual Property, Two New Horizons Court, Brentford, Middlesex TW8 9EP (GB).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DB, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: PHARMACEUTICAL COMPOSITION FOR MODIFIED RELEASE INSULIN SENSITISER

(57) Abstract

A pharmaceutical composition which composition comprises an insulin sensitiser and a pharmaceutically acceptable carrier therefor, wherein the composition is arranged to provide a modified release of the Insulin sensitiser and the use of such composition in medicine.

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	BS.	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senega)
ΑÜ	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ÅΖ	Azerbaljan	GB	United Kingdom	· MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tejikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Отессе		Republic of Macedonia	TR	Turkey
BG	Bulgaria	ĦU	Hungary	ML.	Mali	TT	Trinidad and Tobago
BJ	Benin	TE:	Ireland	MN	Mongolia	ŲA	Ukraine
BR	Brazil	Ħ	Israel	MR	Mauritania	· UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	kaly	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KR	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côts d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
cz	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	ŞD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

#### **NOVEL COMPOSITION AND USE**

This invention relates to a novel composition, in particular to a modified release composition and its use in medicine, especially its use for the treatment of diabetes mellitus, preferably Type 2 diabetes, and conditions associated with diabetes mellitus.

5

10

15

20

25

30

35

European Patent Application, Publication Number 0,306,228 relates to certain thiazolidinedione derivatives disclosed as having antihyperglycaemic and hypolipidaemic activity. One particular thiazolidinedione disclosed in EP 0306228 is 5-[4-[2-(N-methyl-N-(2-pyridyl)amino)ethoxy]benzyl]thiazolidine-2,4-dione (hereinafter Compound (I)). WO94/05659 discloses certain salts of Compound (I) including the maleate salt at example 1 thereof.

Compound (I) is an example of a class of anti-hyperglycaemic agents known as "insulin sensitisers'. In particular Compound (I) is a thiazolidinedione insulin sensitiser.

European Patent Applications, Publication Numbers: 0008203, 0139421, 0032128, 0428312, 0489663, 0155845, 0257781, 0208420, 0177353, 0319189, 0332331, 0332332, 0528734, 0508740; International Patent Application, Publication Numbers 92/18501, 93/02079, 93/22445 and United States Patent Numbers 5104888 and 5478852, also disclose certain thiazolidinedione insulin sensitisers.

Another series of compounds generally recognised as having insulin sensitiser activity are those typified by the compounds disclosed in International Patent Applications, Publication Numbers WO93/21166 and WO94/01420. These compounds are herein referred to as 'acyclic insulin sensitisers'. Other examples of acyclic insulin sensitisers are those disclosed in United States Patent Number 5232945 and International Patent Applications, Publication Numbers WO92/03425 and WO91/19702.

Examples of other insulin sensitisers are those disclosed in European Patent Application, Publication Number 0533933, Japanese Patent Application Publication Number 05271204 and United States Patent Number 5264451.

The above mentioned publications are incorporated herein by reference.

It is now indicated that a certain modified release pharmaceutical composition containing Compound (I) allows administration of a single daily dose to maintain a sustained advantageous and beneficial effect upon glycaemic control with minimal expected adverse side effects. Such a formulation is therefore expected to be particularly useful for the treatment of diabetes mellitus, especially Type 2 diabetes and conditions associated with diabetes mellitus.

Accordingly, the invention provides a pharmaceutical composition, suitably for the treatment of diabetes mellitus, especially Type 2 diabetes and conditions associated with diabetes mellitus in a mammal, such as a human, which composition comprises an insulin sensitiser, such as Compound (I) and a pharmaceutically acceptable carrier

therefor, wherein the composition is arranged to provide a modified release of the insulin sensitiser.

In a further aspect, the invention provides a modified release pharmaceutical composition, suitably for the treatment of diabetes mellitus, especially Type 2 diabetes and conditions associated with diabetes mellitus in a mammal, such as a human, which composition comprises an insulin sensitiser, such as Compound (I) and a pharmaceutically acceptable carrier therefor, wherein the carrier is arranged to provide a modified release of the insulin sensitiser.

Suitably, the modified release is delayed, pulsed or sustained release.

In one aspect the modified release is a delayed release.

5

10

15

20

25

30

35

Delayed release is conveniently obtained by use of a gastric resistant formulation such as an enteric formulation, such as a tablet or multi-particulates, such as multi-particulate spheres, coated with a gastric resistant polymer, including Eudragit L100-55, for example as Eudragit L30D-55or Eudragit FS 30D. Other gastric resistant polymers include methacrylates, cellulose acetate phthalate, polyvinyl acetate phthalate, hydroxypropyl methylcellulose phtahlate, in particular, Aquateric, Sureteric, HPMCP-HP-55S.

The enteric coated tablet may be a single layer tablet or a multi-layer tablet, such as a bi-or tri- layer tablet, wherein the active agent is present in one or more discrete layers within the compressed tablet form. The discrete tablet layers can be arranged as required to provide modified or non-modified release of active agent.

The multiparticulates include coated drug-coated non-pareil substrates, such as lactose spheres, or drug containing non-pareil substrates, such as drug containing lactose spheres. Such multiparticulates are coated as required with the appropriate enteric formulation, such as Eudragit L100-55, for example as Eudragit L30D-55or Eudragit FS 30D.

In a further aspect the modified release is a sustained release, for example providing effective release of the active agent over a time period of up to 26 hours, typically in the range of 4 to 24 hours.

Sustained release is typically provided by use of a sustained release matrix, usually in tablet form, such as disintegrating, non-disintegrating or eroding matrices.

Sustained release is suitably obtained by use of a non-disintegrating matrix tablet formulation, for example by incorporating Eudragit RS into the tablet. Alternative non disintegrating matrix tablet formulations are provided by incorporating methacrylates, cellulose acetates, hydroxypropyl methylcellulose phtahlate, in particular Eudragit L and RL, Carbopol 971P, HPMCP-HP-55S into the tablet.

Sustained release is further obtained by use of a disintegrating matrix tablet formulation, for example by incorporating methacrylates, methylcellulose, in particular Eudragit L, Methocel K4M into the tablet.

Sustained release can also be achieved by using a semi-permeable membrane coated tablet for example by applying methacrylates, ethylcellulose, cellulose acetate, in particular Eudragit RS, Surelease to the tablet.

5

10

15

20

25

30

35

Sustained release can also be achieved by using a multi layer tablet, where the active ingredient is formulated differently in each layer.

Sustained release can also be achieved by using multiparticulates coated with semipermeable membranes. The multiparticulates include coated drug-coated non-pareil substrates, such as lactose spheres, or drug containing substrates, such as drug containing lactose/Avicel spheres. Such multiparticulates are coated as required with the appropriate semi-permeable membranes, such as ethylcellulose polymer.

In yet a further aspect the modified release is a pulsed release, for example providing up to 4, for example 2, pulses of active agent per 24 hours.

One form of pulsed release is a combination of non-modified release of active agent and delayed release.

Suitable modified release includes controlled release. The composition of the invention also envisages a combination of pulsed, delayed and/or sustained release for the active agent, thereby enabling the release of the reagent at different times. One example of such combination provides non-modified and sustained release of active agent, for example non-modified release of 2mg of Compound (I) and sustained release of 8mg of Compound (I) over a 12 hour period or non-modified release of 2mg of Compound (I) and sustained release of 6mg of Compound (I) over a 12 hour period or non-modified release of 1mg of Compound (I) and sustained release of 7mg of Compound (I) over an 18 hour period. Such controlled release can be achieved by use of appropriate tablet formulations, such as a multi-layered tablet, or of an appropriate multiparticulate formulation containing a combination of components with appropriate release characteristics.

A preferred thiazolidinedione insulin sensitiser is Compound (I).

Other suitable thiazolidinedione insulin sensitisers include (+) -5-[[4-[(3,4-dihydro-6-hydroxy-2,5,7,8-tetramethyl-2H-1-benzopyran-2-yl)methoxy]phenyl]methyl]-2,4-thiazolidinedione (or troglitazone), 5-[4-[(1-methylcyclohexyl)methoxy]benzyl] thiazolidine-2,4-dione (or ciglitazone), 5-[4-[2-(5-ethylpyridin-2-yl)ethoxy]benzyl] thiazolidine-2,4-dione (or pioglitazone) or 5-[(2-benzyl-2,3-dihydrobenzopyran)-5-ylmethyl)thiazolidine-2,4-dione (or englitazone).

A particular thiazolidinedione insulin sensitiser is 5-[4-[2-(5-ethylpyridin-2-yl)ethoxy]benzyl] thiazolidine-2,4-dione (or pioglitazone).

A particular thiazolidinedione insulin sensitiser is (+) -5-[[4-[(3,4-dihydro-6-hydroxy-2,5,7,8-tetramethyl-2H-1-benzopyran-2-yl)methoxy]phenyl]methyl]-2,4-thiazolidinedione (or troglitazone).

In one particular aspect, the composition comprises 2 to 12 mg of Compound (I). Suitably the composition comprises 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 or 12 mg of Compound (I).

Particularly, the composition comprises 2 to 4, 4 to 8 or 8 to 12 mg of Compound (I).

5

10

15

20

25

30

35

Particularly, the composition comprises 2 to 4mg of Compound (I).

Particularly, the composition comprises 4 to 8mg of Compound (I).

Particularly, the composition comprises 8 to 12 mg of Compound (I).

Preferably, the composition comprises 2 mg of Compound (I).

Preferably, the composition comprises 4 mg of Compound (I).

Preferably, the composition comprises 8 mg of Compound (I).

Suitable amounts of the insulin sensitisers include the known permissible doses for these compounds as described or referred to in reference texts such as the British and US Pharmacopoeias, Remington's Pharmaceutical Sciences (Mack Publishing Co.), Martindale The Extra Pharmacopoeia (London, The Pharmaceutical Press) (for example see the 31st Edition page 341 and pages cited therein) or the above mentioned publications.

Suitable unit dosages of other insulin sensitisers include from 100 to 800mg of troglitazone such as 200, 400, 600 or 800mg or from 5 to 50mg, including 10 to 40mg, of pioglitazone, such as 20, 30 or 40 mg and also including 15, 30 and 45mg of pioglitazone.

It will be understood that the insulin sensitiser, such as Compound (I) is administered in a pharmaceutically acceptable form, including pharmaceutically acceptable derivatives such as pharmaceutically acceptable salts, esters and solvates thereof, as appropriate of the relevant pharmaceutically active agent.

It will be understood that all pharmaceutically acceptable forms of the active agents per se are encompassed by this invention. Suitable pharmaceutically acceptable forms of insulin sensitisers include those described in the above mentioned publications.

Suitable pharmaceutically acceptable forms of Compound (I) include those described in EP 0306228 and WO94/05659, especially pharmaceutically acceptable salted forms. A preferred pharmaceutically acceptable salt is a maleate.

Suitable pharmaceutically acceptable solvated forms of Compound (I) include those described in EP 0306228 and WO94/05659, in particular hydrates.

Suitable pharmaceutically acceptable forms of the insulin sensitiser depend upon the particular agent used but includes known pharmaceutically acceptable forms of the particular compound chosen. Such derivatives are found or are referred to in standard

reference texts such as the British and US Pharmacopoeias, Remington's Pharmaceutical Sciences (Mack Publishing Co.), The Extra Pharmacopoeia (London, The Pharmaceutical Press) (for example see the 31st Edition page 341 and pages cited therein).

5

10

15

20

25

30

35

The insulin sensitiser, such as Compound (I), may exist in one of several tautomeric forms, all of which are encompassed by the invention either as individual tautomeric forms or as mixtures thereof. Where the insulin sensitiser, such as Compound (I), contains one or more chiral carbon atoms, and hence can exist in two or more stereoisomeric forms, all of these isomeric forms whether as individual isomers or as mixtures of isomers, including racemates are encompassed by the invention.

The insulin sensitiser of choice is prepared according to known methods, such methods are found or are referred to in standard reference texts, such as the British and US Pharmacopoeias, Remington's Pharmaceutical Sciences (Mack Publishing Co.), Martindale The Extra Pharmacopoeia (London, The Pharmaceutical Press) (for example see the 31st Edition page 341 and pages cited therein) or as described in the above mentioned publications.

For example, Compound (I) or, a pharmaceutically acceptable salt thereof, or a pharmaceutically acceptable solvate thereof, may be prepared using known methods, for example those disclosed in EP 0306228 and WO94/05659. The disclosures of EP 0306228 and WO94/05659 are incorporated herein by reference.

When used herein the term 'conditions associated with diabetes' includes those conditions associated with the pre-diabetic state, conditions associated with diabetes mellitus itself and complications associated with diabetes mellitus.

When used herein the term 'conditions associated with the pre-diabetic state' includes conditions such as insulin resistance, including hereditary insulin resistance, impaired glucose tolerance and hyperinsulinaemia.

'Conditions associated with diabetes mellitus itself include hyperglycaemia, insulin resistance, including acquired insulin resistance and obesity. Further conditions associated with diabetes mellitus itself include hypertension and cardiovascular disease, especially atherosclerosis and conditions associated with insulin resistance. Conditions associated with insulin resistance include polycystic ovarian syndrome and steroid induced insulin resistance and gestational diabetes.

'Complications associated with diabetes mellitus' includes renal disease, especially renal disease associated with Type 2 diabetes, neuropathy and retinopathy.

Renal diseases associated with Type 2 diabetes include nephropathy, glomerulonephritis, glomerular sclerosis, nephrotic syndrome, hypertensive nephrosclerosis and end stage renal disease.

As used herein the term 'pharmaceutically acceptable' embraces both human and veterinary use: for example the term 'pharmaceutically acceptable' embraces a veterinarily acceptable compound.

For the avoidance of doubt, when reference is made herein to scalar amounts, including mg amounts, of Compound (I) in a pharmaceutically acceptable form, the scalar amount referred to is made in respect of Compound (I) per se: For example 2 mg of Compound (I) in the form of the maleate salt is that amount of maleate salt which contains 2 mg of Compound (I).

Diabetes mellitus is preferably Type 2 diabetes.

5

10

15

20

25

30

35

Glycaemic control may be characterised using conventional methods, for example by measurement of a typically used index of glycaemic control such as fasting plasma glucose or glycosylated haemoglobin (Hb A1c). Such indices are determined using standard methodology, for example those described in: Tuescher A, Richterich, P., Schweiz. med. Wschr. 101 (1971), 345 and 390 and Frank P., 'Monitoring the Diabetic Patent with Glycosolated Hemoglobin Measurements', Clinical Products 1988.

Preferably the treatment of the invention will effect an improvement, relative to the non-modified release of the individual agents, in the levels of advanced glycosylation end products (AGEs), leptin and serum lipids including total cholesterol, HDL-cholesterol including improvements in the ratios thereof, in particular an improvement in serum lipids including total cholesterol, HDL-cholesterol, LDL-cholesterol including improvements in the ratios thereof.

Usually the compositions are adapted for oral administration. However, they may be adapted for other modes of administration, for example parenteral administration, sublingual or transdermal administration.

In a further aspect the invention also provides a process for preparing a pharmaceutical composition, suitably for the treatment of diabetes mellitus, especially Type 2 diabetes and conditions associated with diabetes mellitus in a mammal, such as a human, which composition comprises an insulin sensitiser, such as Compound (I), and a pharmaceutically acceptable carrier therefor, which process comprises formulating the insulin sensitiser and the pharmaceutically acceptable carrier so as to enable a modified release of the insulin sensitiser.

In a further aspect, the invention provides a process for preparing a modified release pharmaceutical composition, suitably for the treatment of diabetes mellitus, especially Type 2 diabetes and conditions associated with diabetes mellitus in a mammal, such as a human, which composition comprises an insulin sensitiser, such as Compound (I) and a pharmaceutically acceptable carrier therefor, which process comprises formulating the insulin sensitiser and the pharmaceutically acceptable carrier so as to enable a modified release of the insulin sensitiser.

The compositions are formulated to provide the modified release of active agent according to the appropriate methods disclosed in Sustained and Controlled Release Drug Delivery Systems, Editor Joe R Robinson, Volume 7, published by Marcel Dekker under the title Drugs and the Pharmaceutical Sciences, Controlled Drug Delivery, 2nd Edition' edited by Joe Robinson and Vince Lee, Marcel Dekker, 1987 and 'Drug Delivery to the Gastrointestinal Tract' Editors: J G Hardy, S S. Davis and C G Wilson also with reference to texts such as the British and US Pharmacopoeias, Remington's Pharmaceutical Sciences (Mack Publishing Co.), Martindale The Extra Pharmacopoeia (London, The Pharmaceutical Press) (for example see the 31st Edition page 341 and pages cited therein) and Harry's Cosmeticology (Leonard Hill Books).

5

10

15

20

25

30

35

Preferably, the compositions are in unit dosage form. Unit dosage presentation forms for oral administration may be in tablet or capsule form and may as necessary contain conventional excipients such as binding agents, fillers, lubricants, glidants, disintegrants and wetting agents.

Examples of binding agents include acacia, alginic acid, carboxymethylcellulose calcium, carboxymethylcellulose sodium, dextrates, dextrin, dextrose, ethylcellulose, gelatin, liquid glucose, guar gum, hydroxyethyl cellulose, hydroxypropyl cellulose, hydroxypropyl methylcellulose, magnesium aluminium silicate, maltodextrin, methyl cellulose, polymethacrylates, polyvinylpyrrolidone, pregelatinised starch, sodium alginate, sorbitol, starch, syrup, tragacanth.

Examples of fillers include calcium carbonate, calcium phosphate, calcium sulphate, carboxymethylcellulose calcium, carboxymethylcellulose sodium, compressible sugar, confectioner's sugar, dextrates, dextrin, dextrose, dibasic calcium phosphate dihydrate, dibasic calcium phosphate, fructose, glyceryl palmitostearate, glycine, hydrogenated vegetable oil-type 1, kaolin, lactose, maize starch, magnesium carbonate, magnesium oxide, maltodextrin, mannitol, microcrystalline cellulose, polymethacrylates, potassium chloride, powdered cellulose, pregelatinised starch, sodium chloride, sorbitol, starch, sucrose, sugar spheres, talc, tribasic calcium phosphate, xylitol.

Examples of lubricants include calcium stearate, glyceryl monostearate, glyceryl palmitostearate, magnesium stearate, microcrystalline cellulose, sodium benzoate, sodium chloride, sodium lauryl sulphate, stearic acid, sodium stearyl fumarate, talc, zinc stearate.

Examples of glidants include colloidal silicon dioxide, powdered cellulose, magnesium trisilicate, silicon dioxide, talc.

Examples of disintegrants include alginic acid, carboxymethylcellulose calcium, carboxymethylcellulose sodium, colloidal silicon dioxide, croscarmellose sodium, crospovidone, guar gum, magnesium aluminium silicate, microcrystalline cellulose,

methyl cellulose, polyvinylpyrrolidone, polacrilin potassium, pregelatinised starch, sodium alginate, sodium lauryl sulphate, sodium starch glycollate.

An example of a pharmaceutically acceptable wetting agent is sodium lauryl sulphate.

As required the solid oral compositions may be prepared by conventional methods of blending, filling or tabletting. Repeated blending operations may be used to distribute the active agent throughout those compositions employing large quantities of fillers. Such operations are of course conventional in the art. The tablets may be coated according to methods well known in normal pharmaceutical practice.

Compositions may, if desired, be in the form of a pack accompanied by written or printed instructions for use.

No adverse toxicological effects are expected for the compositions of the invention in the above mentioned dosage ranges.

15

10

5

#### **EXAMPLES**

## 20 Example 1, Delayed Release Composition

Delayed release can be achieved by coating tablets comprising 4mg or 8mg of Compound (I) as pure free base (pfb) with Eudragit L100-55, a gastric resistant polymer

#### 25 The enteric coat consists of:

	%W/W
Eudragit L30 D-55 (30% aqueous dispersion)	76.8
Triethyl Citrate	7.7
Talc Alphafil 500	15.5

30

### Example 2, Sustained Release by use of a matrix tablet

A matrix tablet is formed by tabletting the following mixture:

mg/tablet

		inf\rante
35	Compound (I)	8 (pfb)
	Eudragit L100-55	150
	Lactose monohydrate	50
	Eudragit RS powder	to 500

#### 40 Example 3, Sustained release by use of a semi-permeable membrane

The semi-permeable membrane consists of:

%w/w
Eudragit RS30D (30% aqueous dispersion) 90
Triethyl Citrate 1
Talc 9

5

This membrane is applied to conventional tablets each comprising 4mg or 8mg of Compound (I) (pfb).

#### Example 4. Sustained Release by use of a Mixed Eudragit matrix tablet

10

15

A matrix tablet is formed by tabletting the following mixture:

mg/tablet

Compound (I) 8 (pfb)
Eudragit L100-55 74
Eudragit RS powder 18.5

Colloidal Silicon dioxide 0.6 Magnesium stearate 1.5

Lactose monohydrate to 150

## 20 Example 5, Sustained Release by use of a Mixed Carbopol matrix tablet

A matrix tablet is formed by tabletting the following mixture:

mg/tablet
Compound (I) 8 (pfb)
Anhydrous dibasic calcium phosphate 35.7
Carbopol 971P 22.5
Carbopol 974P 7.5
Talc 0.75
Lactose monohydrate to 150

30

25

## Example 6, Delayed Release Composition

A capsule containing multiple pellet cores is formed using the following mixture:

mg/capsule

35 Compound (I) 8 (pfb)
Microcrystalline cellulose 133.5
Lactose monohydrate to 267

Delayed release can be achieved by coating the pellet cores with Eudragit L100-55, a

40 gastric resistant polymer

The enteric coat consists of:

%w/w

Eudragit L30 D-55 (30% aqueous dispersion) 76.8

-9-

Triethyl Citrate 7.7
Talc Alphafil 500 15.5

## 5 Example 7, Delayed Release Multiparticulate Composition

Delayed release multiparticulates are prepared by coating drug layered lactose spheres (the drug layer being 8mg of Compound (I) as pure free base (pfb) per dose) with either Eudragit L30D-55 or EudragitFS 30D, pH dependent polymers. The drug layered multiparticulates are prepared by fluid-bed coating of the sphere with the required amount of Compound (I). The drug layered multiparticulates therefore consist of:

		% w/w
	Compound (I)*	5.40
	Opadry Clear	3.0
15	Polysorbate 80 (Tween 80)	1.0
	Purfied Water	q.s.
	Lactose spheres (25-30 mesh)	200 mg

<sup>\*</sup>This is based on Purity (as is) 99.2% w/w. Pure Free Base: 74.9% w/w.

20

10

The drug layered multiparticulates are then seal-coated with 2%, by weight, of film former Opadry Clear prior to application of the enteric coat.

The enteric coat consists of:

25		%w/w
	Eudragit L30 D-55 (30% aqueous dispersion)	10-25
	Triethyl Citrate	15*
	Talc Alphafil 500	23.0*
	Purified Water**	q.s.

30

Or

35	Eudragit FS 30D (30% aqueous dispersion)	10-15
	Glyceryl Monostearate, NF	3.0*
	Triethyl Citrate	1.0*
	Purified Water**	q.s.

<sup>\*</sup> These percentages are based on the solid content of the Eudragit

<sup>\*</sup> These percentages are based on the solid content of the Eudragit

<sup>\*\*</sup> Sufficient water is added such that the total solids content is 16%.

<sup>\*\*</sup> Sufficient water is added such that the total solids content is 16%.

### Example 8, Sustained Release Multiparticulate Composition

Delayed release multiparticulates are prepared by coating drug layered lactose spheres (the drug layer being 8mg of Compound (I) as pure free base (pfb) per dose) with ethylcellulose polymer (Surelease).

The drug layered multiparticulates consist of:

5

		. % w/w
	Compound (I)*	5.40
10	Opadry Clear	3.0
	Polysorbate 80 (Tween 80)	1.0
	Purfied Water	q.s.
	Lactose spheres (25-30 mesh)	200 mg

\*This is based on Purity (as is) 99.2% w/w. Pure Free Base: 74.9% w/w.

The drug layered multiparticulates are seal coated with 2%, by weight, with film former Opadry Clear prior to the application of the semipermeable membrane.

20 The semipermeable membrane consists of:

	%W/W
Surelease Clear	10-20
Purified Water*	q.s.

25 \* Sufficient water is added such that the total solids content is 15%.

The multiparticulates can be admixed and filled into capsules or compressed into tablets to provide the desired release profile.

#### Claims:

25

1. A pharmaceutical composition which composition comprises an insulin sensitiser and a pharmaceutically acceptable carrier therefor, wherein the composition is arranged to provide a modified release of the insulin sensitiser.

2. A modified release pharmaceutical composition, which composition comprises an insulin sensitiser and a pharmaceutically acceptable carrier therefor, wherein the carrier is arranged to provide a modified release of the insulin sensitiser.

A composition according to claim 1 or claim 2, wherein the modified release is delayed, pulsed or sustained release.

- 4. A composition according to any one of claims 1 to 3, wherein the modified release 15 is a delayed release.
  - 5. A composition according to claim 4, wherein the composition is in the form of an enteric tablet formulation.
- 20 6. A composition according to claim 5, wherein the enteric coated tablet is a single layer tablet.
  - 7. A composition according to claim 7, wherein the enteric coated tablet is a multilayer tablet.
  - 8. A composition according to any one of claims 5 to 7, wherein the tablet is coated with a gastric resistant polymer.
- A composition according to claim 8, wherein the gastric resistant polymer is
   selected from the list consisting of Eudragit L100-55, methacrylates, cellulose acetate phthalate, polyvinyl acetate phthalate, hydroxypropyl methylcellulose phtahlate, in particular, Aquateric, Sureteric and HPMCP-HP-55S.
- 10. A composition according to any one of claims 1 to 3, wherein the modified release 35 is a sustained release.

11. A composition according to any one of claims 1 to 3, wherein the sustained release is provided by a sustained release matrix selected from disintegrating, non-disintegrating and eroding matrices.

- 5 12. A composition according to claim 11, wherein the disintegrating matrix tablet formulation is provided by incorporating methacrylates, methylcellulose and Methocel K4M into the matrix.
- 13. A composition according to claim 11, wherein the non disintegrating matrix tablet formulation is provided by incorporating Eudragit RS, methacrylates, cellulose acetates, hydroxypropyl methylcellulose phthalate, Carbopol 971P or HPMCP-HP-55S into the matrix.
- 14. A composition according to any one of claims 1 to 13, wherein the insulin sensitiser is Compound (I) or a derivative thereof.

20

- 15. A composition according to any one of claims 1 to 13, wherein the insulin sensitiser is 5-[4-[2-(N-methyl-N-(2-pyridyl)amino)ethoxy]benzyl]thiazolidine-2,4-dione, 5-[4-[2-(5-ethylpyridin-2-yl)ethoxy]benzyl] thiazolidine-2,4-dione (pioglitazone) or (+) -5-[[4-[(3,4-dihydro-6-hydroxy-2, 5, 7, 8-tetramethyl-2H-1-benzopyran-2-yl)methoxy]phenyl]methyl]-2,4-thiazolidinedione (troglitazone); or a derivative thereof.
- 16. A process for preparing a pharmaceutical composition, which composition
  25 comprises an insulin sensitiser and a pharmaceutically acceptable carrier therefor, which
  process comprises formulating the insulin sensitiser and the pharmaceutically acceptable
  carrier so as to enable a modified release of the insulin sensitiser.
- 17. A process for preparing a modified release pharmaceutical composition, which composition comprises an insulin sensitiser and a pharmaceutically acceptable carrier therefor, which process comprises formulating the insulin sensitiser and the pharmaceutically acceptable carrier, wherein the carrier is arranged so as to enable a modified release of the insulin sensitiser.

inte anal Application No PCT/EP 99/09031

A. CLASS IPC 7	DIFICATION OF SUBJECT MATTER A61K31/353 A61K31/4439 A61K9/	32 A61K9/52	
	to International Patent Classification (IPC) or to both national class	ification and IPC	
	S SEARCHED  Ocumentation searched (classification system followed by classific	collan cumbols	
IPC 7	A61K		
	tion searched other than minimum documentation to the extent th		
Electronic	data base consulted during the international search (name of data	base and, where practical, search terms used	· · · · · · · · · · · · · · · · · · ·
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
X	WO 98 42340 A (CIRD GALDERMA ;F ANDREA (US); PFAHL MAGNUS (US); WA) 1 October 1998 (1998-10-01) abstract claims 1-15	LERNHARDT	1-6,10, 14-17
X	WO 98 11884 A (KNOLL AG ;BAILEY JAMES (GB); JACKSON HELEN CHRIS 26 March 1998 (1998-03-26) page 4, line 20 -page 5, line 3 claims 23,25	TINE (GB))	1-6, 8-11, 14-17
X	EP 0 861 666 A (TAKEDA CHEMICAL LTD) 2 September 1998 (1998-09- page 11; example 2 page 10, line 3 - line 31		1-6, 8-11, 14-17
	claims 15,24		
		-/	
X Furt	her documents are listed in the continuation of box C.	X Patent lamily members are listed	in annex.
° Special ca	stegories of cited documents :	"T" later document published after the Inte	mational filing date
consid "E" earlier (	ent defining the general state of the art which is not sered to be of particular relevance document but published on or after the international	or priority date and not in conflict with cited to understand the principle or th invention  "X" document of particular relevance; the of	the application but sory underlying the
which citation "O" docum	ent which may throw doubts on priority claim(s) or is clied to establish the publication date of another if or other special reason (as epecified) ent referring to an oral disclosure, use, exhibition or	cannot be considered novel or cannot involve an Inventive step when the do "Y" document of particular relevance; the cannot be considered to involve an induction and the combined with one or many the combined with the comb	t be considered to current is taken alone citatimed invention wentive step when the ore other such docu-
"P" docume	means eni published prior to the international filing date but han the priority date claimed	ments, such combination being obvior in the arl. "&" document member of the same patent	us to a person skilled
Date of the	actual completion of the international search	Date of mailing of the international se	arch report
1	5 February 2000	21/02/2000	
Name and r	mailing address of the ISA  European Patent Office, P.B. 5618 Patentiaan 2  NL - 2280 HV Rijswijk  Tel. (+31-70) 340-2040, Tx. 31 651 epo ni,	Authorized officer	
	Fax: (+31-70) 340-3016	Muller, S	

Ink onal Application No
PCT/EP 99/09031

C.(Continu	ntion) DOCUMENTS CONSIDERED TO BE RELEVANT	101/21 99/03031
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to daim No.
X	EP 0 816 340 A (TAKEDA CHEMICAL INDUSTRIES LTD) 7 January 1998 (1998-01-07)  page 5, line 46 -page 6, line 18 page 6, line 45 - line 50 examples 7,14-16	1-6, 8-11, 14-17
X	US 5 326 770 A (WILKERSON WENDELL W) 5 July 1994 (1994-07-05) abstract column 15, line 49 -column 16, line 23 column 16, line 65 -column 17, line 5	1-6,10, 14-17
X Y	US 5 502 078 A (HOLLOWAY BRIAN R ET AL) 26 March 1996 (1996-03-26) column 3, line 32 - line 53	1-6,10, 11,16,17 12,13
Y	DE 44 32 757 A (BOEHRINGER MANNHEIM GMBH) 21 March 1996 (1996-03-21) page 4, line 1 - line 31 page 7 -page 8; example 4	12,13
·		
-		
	· .	

. Inational application No.

PCT/EP 99/09031

Box i Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
Claims Nos.:     because they relate to subject matter not required to be searched by this Authority, namely:
·
2. X Claims Nos.:  because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out. specifically:  see FURTHER INFOMATION sheet PCT/ISA/210
Claims Nos.:     because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
As all required additional search lees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant, Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest  The additional search fees were accompanied by the applicant's protest.  No protest accompanied the payment of additional search fees.

International Application No. PCT/EP 99 \( .09031 \)

#### FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Present claims 1-13, 16, 17 relate to an extremely large number of possible compounds. Support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the compounds claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely those parts relating to the compounds mentionned in formula (I) and in claim 15.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

information on patent family members

Inte onal Application No PCT/EP 99/09031

Patent documen cited in search rep		Publication date		Patent family member(s)	Publication date
WO 9842340	Α	01-10-1998	AU	6576398 A	20-10-1998
			NO	994612 A	24-11-1999
WO 9811884	Α	26-03-1998	AU	4774097 A	14-04-1998
			CZ	9900936 A	11-08-1999
	•		EP	0927028 A	07-07-1999
			HR	970505 A	31-08-1998
			NG	991358 A	19-03-1999
	· 		PL	332305 A	30-08-1999
EP 0861666	Α	02-09-1998	AU	5603496 A	09-01-1997
			CA	2179584 A	21-12-1996
			CN	1145783 A	26-03-1997
			CZ	96018I1 A	15-01-1997
			EP	0749751 A	27-12-1996
			HU	9601698 A	28-05-1997
			JP	9067271 A	11-03-1997
			JP NO	10167986 A 962606 A	23-06-1998
			SK	79496 A	23-12-1996 08-01-1997
			US	5965584 A	12-10-1999
			US	5952356 A	14-09-1999
EP 0816340	A	07-01-1998	CA	2208878 A	27-12-1997
			JP	10072438 A	17-03-1998
			ÜS	5952509 A	14-09-1999
US 5326770	Α	05-07-1994	NONE		
US 5502078	A	26-03-1996	AT	128116 T	15-10-1995
			AU	653229 B	22-09-1994
			AU	1704392 A	03-12-1992
		•	CA	2068378 A	29-11-1992
			CN	1069022 A	17-02-1993
			CS	9201591 A	16-12-1992
			DE	69204908 D	26-10-1995
			DE DK	69204908 T 516350 T	08-02-1996 04-12-1995
			EP	0516350 A	02-12-1992
			ES	2077354 T	16-11-1995
			FI	922423 A	29-11-1992
			GR	3017681 T	31-01-1996
			HU	61968 A	29-03-1993
			HU	211732 B	28-12-1995
			JP	6087801 A	29-03-1994
			MW	2392 A	10-03-1993
			MX	9202501 A	01-11-1992
			NO NZ	922114 A	30-11-1992
			NZ Pl	242642 A 294705 A	22-12-1994
			RO	111457 A	26-07-1993 31-10-1996
			ZA	9203355 A	28-04-1993
			ZW	7292 A	03-02-1993
DE 4432757		21-03-1996	AU	3567295 A	29-03-1996
			WO	9608243 A	21-03-1996
			ËP	0781129 A	
			E.F	OLOTICA W	02-07-1997

information on patent family members

PCT/EP 99/09031

Patent document cited in search report	Publication date	Patent tamily member(s)	Publication date
DE 4432757 A		US 5955106 A	21-09-1999
		·	
•			